



MR HEATER[®]

Product Catalog

2023



North America's Most Popular Brand of Portable Heaters



Table of Contents

HEATERS

Buddy Indoor Safe Portable Heaters	6-15
Fuel Keg 1-lb Refillable Propane Tank + Kit	16-17
Golf Cart Heater	18
Tank Top Heaters	19
Low Profile Patio Heater	20-21
Cabinet Heater	22
Patio Heaters	23
Dual Fuel Vent Free Heaters	24-25
Radiant Vent Free Heaters	26
Blue Flame Vent Free Heaters	27
Convection Heaters	28
Portable Radiant Heaters	29
Radiant Diesel & Kerosene Heaters	30
Forced Air Kerosene Heaters	31
Forced Air Propane Heaters	32-33
Portable Electric Heaters	34-37
Radiant Garage & Workshop Heaters	38-39
Radiant Overhead Heaters	40
Unit Heaters & Accessories	41-42
Catalytic Heaters	43
Warmer Packs	44-45
Tent Fan	46
Camping Angle Iron Stoves & Accessories	46
Propane Torches	47

HOSES, FITTINGS & ACCESSORIES

Dual Tank Hook Up Kit	49
Hose Assemblies	50-52
Propane Regulators	52-53
Brass Fittings and Accessories	54-56
Accessory Kits	57
Gas Mate™ Quick Connector Kits	58
Propane Accessories	59
Tank Top Replacement Parts	60
Mr. Heater FAK/FALP Replacement Parts	62-62
Mr. Heater Vent-Free Replacement Parts	63
Mr. Heater Buddy Replacement Parts	64

INDEX

Complete Product Index	65-70
------------------------	-------



Keep
stay

NEW

FUEL KEG

PAGES 16-17



so warm & comfortable

NEW

BIG BUDDY® PRO SERIES



PAGE 7

NEW

LOW PROFILE PATIO HEATER



PAGES 20-21


NEW

PORTABLE ELECTRIC BUDDY



PAGE 35






RADIANT HEAT




Radiant heat dispersion pattern

RADIANT HEAT FEATURES

Radiant heat technology uses infrared heat energy from a radiant burner to heat people & objects placed in its path. Similar to how the sun radiates heat to objects without interference from wind.

-  **Point and heat!** Heats people & objects directly in front of the heater.
-  **Positive heat recovery.** Heated objects will remain heated even when exposed to wind.
-  **Efficient heating.** Heated objects will retain heat longer than the surrounding air.
-  **Quiet source of heat.**
-  **Available for use with a thermostat.**



Radiant heat raises the temperature of people & objects in its path.

GENERAL BUYING INFORMATION

Prices and terms are subject to change without notice. Orders will be billed at prices and terms in effect on the date of shipment.

Terms: Net 30

All orders are accepted and the above terms extended with the approval of the Enerco Group, Inc. Credit Department.

Freight Terms: Shipments are F.O.B. Factory (Cleveland, Ohio; Bedford, Ohio; Portland, Oregon; Depending on Shipment of Origin).

All orders for Enerco Group, Inc. products will be shipped to one destination within the 48 continental United States according to one of the following freight policies at Enerco Group, Inc.'s discretion.


Package Quantities: Orders must be in package quantities. Enerco Group, Inc. also reserves the right to alter quantities ordered, if necessary, to conform to package quantities.

Merchandise Return Authorization: Merchandise may not be returned without the prior approval of Enerco Group, Inc. Please fax your return request to the Customer Service Department at 1-800-321-0552. Upon receipt, the request will be reviewed and if appropriate a return material authorization number (RMA#) will be issued. Merchandise returned without prior approval will be subject to refusal and returned freight collect; or if accepted, a handling charge of 25% of purchase price will be deducted from the credit memo.

Authorized merchandise returned for credit, repair or replacement must be shipped with TRANSPORTATION CHARGES PREPAID. Full credit will be issued for original invoice subject to a handling and repacking charge of 25%. Merchandise returned transportation collect will be charged back by invoice or deducted from credit.

Credit allowances for obsolete, shelf-worn or damaged merchandise will be solely at the discretion of Enerco Group, Inc. This merchandise is subject to an additional 10% handling charge and costs of new packaging.

FORCED AIR HEAT



FORCED AIR HEAT FEATURES

Forced air or convective heat technology works by blowing heated air into an enclosed space. Forced air heat is able to quickly and efficiently heat a space. This heat can be lost quickly if cold air is introduced into the space for any prolonged period of time (e.g. repeatedly opening and closing your garage door).



Heats a space quickly and efficiently.



Effectively circulates air in the space.



Quickly heats larger spaces.




Disperses heat evenly throughout a space.



Available for use with a thermostat.

Forced air heat dispersion pattern



Forced air heaters circulates warm air in an area to quickly and efficiently heat a space.

Indemnification: Notwithstanding any provisions for indemnification contained in any purchase orders or other documents generated or used by the Customer, Enerco Group, Inc. assumes no responsibility to indemnify or otherwise defend or protect Customer or any other purchaser of its products for liability resulting from Customer's actual or alleged independent conduct, or the actual or alleged independent conduct of Customer's agents or employees including but not limited to, resale of products purchased from Enerco Group, Inc.: (1) with any product alterations not authorized by Enerco Group, Inc. (2) without all instructions and warnings provided by Enerco Group, Inc. (3) with oral or written instructions inconsistent with those provided by Enerco Group, Inc. (4) which have been used or damaged by Customer or returned by Customer after retail/sale, or (5) in violation of any state or local statute or ordinance.

Image Library

High res and low res product images are available for download from our online image gallery. Call 800.251.0001 for login information.

Enerco Group, Inc., based in Cleveland Ohio, has been at the forefront of infrared combustion technology since 1957. This market leading technology has allowed Enerco Group, Inc. to build expertise in consumer heating products as well as heavy duty commercial and construction heating products. Starting in 1984, Enerco Group, Inc.'s Mr. Heater Brand has delivered innovative technology and unmatched quality and service as America's Most Popular Brand of Heater's. From its Original Tank Tops to its patented Buddy Heaters, millions of consumers have enjoyed high quality comfortable heat. Mr. Heaters Contractor Series Forced Air Propane and Kerosene Heaters have become the industry standard for dependability while its unit heaters have expanded the garage to usable workspace in the winter months. 2011 marked the launch of HERO-The World's First Cordless Forced Air Propane Heaters featuring Quiet Burner Technology®. Through innovative products, innovative marketing, and world class customer service, Mr. Heater is leading the way in portable heat!

Product specifications and appearance are subject to change without notice. Product images may not be precise.

BIG Buddy®



BIG BUDDY®

Portable Radiant Heater

Model # - MH18B
Stock # - F274805
UPC - 089301004825

(Massachusetts/ Canada Only)*

Model # - MH18B
Stock # - F274806
UPC - 089301004832



4,000 / 9,000 / 18,000 BTU



Heats up to 450 sq. ft.



Runs approximately 11 hours on low,
4.8 hours on medium & 2.8 hours on
high with two 1 lb. propane cylinders

- Piezo ignition
- Single control start knob
- Swivel regulator
- Connects to one 1lb. cylinder or to a 20 lb. tank with optional hose
- Constructed with self-extinguishing materials
- Certified
- 3-year warranty

+ LIFE SAFETY SYSTEM*



PATENTED SELF-EXTINGUISHING
PROTECTION SYSTEM..



EMERGENCY LOW OXYGEN
SAFETY SYSTEM..



TIP-OVER SHUT DOWN SYSTEM..



DESIGNED WITH FLAME
RETARDANT MATERIALS

*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.

NEW **BIG Buddy**

PRO SERIES™



ELECTRONIC IGNITION



INDUSTRY'S ONLY PORTABLE RADIANT HEATER WITH BUILT-IN HIGH POWERED FAN



BIG BUDDY® PRO SERIES

Portable Radiant Heater

Model # - MH18B
Stock # - F274800
UPC - 089301748002

**(Massachusetts/
Canada Only)***

Model # - MH18B
Stock # - F274865
UPC - 089301748651



4,000 / 9,000 / 18,000 BTU



Heats up to 450 sq. ft.



Runs approximately 11 hours on low, 4.8 hours on medium & 2.8 hours on high with two 1 lb. propane cylinders

- Electronic ignition
- Built-in high powered fan
- Single control start knob
- Swivel regulator
- Connects to one 1lb. cylinder or to a 20 lb. tank with optional hose
- Constructed with self extinguishing materials
- Certified
- 3-year warranty



LIFE SAFETY SYSTEM*



PATENTED SELF-EXTINGUISHING PROTECTION SYSTEM™



EMERGENCY LOW OXYGEN SAFETY SYSTEM™



TIP-OVER SHUT DOWN SYSTEM™



DESIGNED WITH FLAME RETARDANT MATERIALS

*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.

LITTLE Buddy®



LITTLE BUDDY®

Portable Radiant Heater

Model # - MH4B
Stock # - F215100
UPC - 089301151000

(Massachusetts/Canada Only)*

Model # - MH4B
Stock # - F215120
UPC - 089301151208



3,800 BTU



Heats up to 95 sq. ft.



Runs 5.6 hours on
1 lb. Propane Cylinder

- One handed push button ignition
- 8" round stand uses little floor space
- Connects directly to one 1 lb. disposable propane cylinder
- Constructed with self-extinguishing materials
- Certified
- 3-year warranty

+ LIFE SAFETY SYSTEM*



PATENTED SELF-EXTINGUISHING PROTECTION SYSTEM..



EMERGENCY LOW OXYGEN SAFETY SYSTEM..



TIP-OVER SHUT DOWN SYSTEM..



DESIGNED WITH FLAME RETARDANT MATERIALS

*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.

Portable Buddy®



PORTABLE BUDDY®

Portable Radiant Heater

Model # - MH9BX
 Stock # - F232000
 UPC - 089301320000

(Massachusetts/Canada Only)*

Model # - MH9BX
 Stock # - F232050
 UPC - 089301320505



4,000 / 9,000 BTU



Heats up to 225 sq. ft.



Runs 5.4 hours on low & 2.4 hours on high with 1 lb. propane cylinder

- Single control start knob
- Swivel regulator
- Includes Piezo igniter
- Connects to one 1lb. cylinder or to a 20 lb. tank with optional hose
- Constructed with self-extinguishing materials
- Certified
- 3-year warranty

+ LIFE SAFETY SYSTEM™



PATENTED SELF-EXTINGUISHING PROTECTION SYSTEM™



EMERGENCY LOW OXYGEN SAFETY SYSTEM™



TIP-OVER SHUT DOWN SYSTEM™



DESIGNED WITH FLAME RETARDANT MATERIALS

*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.

Hunting Buddy®



HUNTING BUDDY® Portable Radiant Heater

Model # - MH12HB
Stock # - F232035
UPC - 089301320352

**(Massachusetts/
Canada Only)***

Model # - MH12HB
Stock # - F232045
UPC - 089301320451



6,000 / 12,000 BTU



Heats up to 300 sq. ft.



Runs 3.5 hours on low / 1.8 hours
on high with 1 lb. propane cylinder

- Quiet electronic ignition
- Swivel regulator
- Connects to one 1 lb. cylinder or to a 20 lb. tank with optional hose
- Constructed with self-extinguishing materials
- Certified
- 3-year warranty



LIFE SAFETY SYSTEM*



PATENTED SELF-EXTINGUISHING
PROTECTION SYSTEM™



EMERGENCY LOW OXYGEN
SAFETY SYSTEM™



TIP-OVER SHUT DOWN SYSTEM™



DESIGNED WITH FLAME
RETARDANT MATERIALS

*Certified indoor use in the
USA except Massachusetts.
Outdoor use only in
Massachusetts & Canada.

BuddyFLEX[®] SYSTEM



BUDDY FLEX[®]

Portable Radiant Heater

Model # - MH11BFLEX
Stock # - F600100
UPC - 089301005792

(Massachusetts/ Canada Only)*

Model # - MH11BFLEX
Stock # - F600200
UPC - 089301005785



8,000 - 11,000 BTU



Heats up to 275 sq. ft.



Runs up to 2 hours on high / 3.5 hours on low

- Indoor safe*
- Constructed with self-extinguishing materials
- Integrated electronic ignition
- Omni-directional fiber mesh burner
- Thermal shut-down system (*patented*)
- High wind resistance technology
- Infinitely variable output control for efficient fuel consumption (8,000 – 11,000 BTU)
- Multiple patents pending
- Integrated heater & accessory controls (*patent pending*)
- Integrated accessory safety shut-off (*patent pending*)
- Quick-connect gas & accessory system (*patented*)
- Runs on 1 lb. cylinder or 20 lb. tank with hose (sold separately)
- Certified
- 3-year warranty

LIFE SAFETY SYSTEM[®]



PATENTED SELF-EXTINGUISHING PROTECTION SYSTEM..



EMERGENCY LOW OXYGEN SAFETY SYSTEM..



TIP-OVER SHUT DOWN SYSTEM..



DESIGNED WITH FLAME RETARDANT MATERIALS

*Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.

BuddyFLEX[®] COOKER



BUDDY FLEX[®] COOKER

Portable Radiant Cooker

Model # - MH8CFLEX
Stock # - F600500
UPC - 089301006294



5,500 - 8,000 BTU



Runs up to 2.75 hours on high

- High performance radiant fiber mesh
- Integrated electronic ignition
- 28" quick-connect hose included
- Can be used with BuddyFLEX[®] heater
- Certified
- 3-year warranty



Heater can be used to run BuddyFLEX[®] accessories (sold separately)

BuddyFLEX[®]

GEAR BAG



BUDDY FLEX[®] GEAR BAG

Heavy-Duty Multipurpose Bag

Model # - MHBBFLEX
Stock # - F600050
UPC - 089301006416

- Two side compartments for 1 lb. tank storage
- 3 multi-use accessory compartments
- Separate cooker storage compartment
- Padded backpack & shoulder strap for easy transport



Buddy Heater Comparison Chart



Model #	MH4B	MH9BX	MH12HB	MH18B	MH18B	MH11BFLEX
Stock #	F215100	F232000	F232035	F274805	F274800	F600100
UPC	089301151000	089301320000	089301320352	089301004825	089301748002	089301005792
Stock # for Mass/Canada (Outdoor Use Only)	F215120	F232050	F232045	F274806	F274865	F600200
UPC for Mass/Canada (Outdoor Use Only)	089301151208	089301320505	089301320451	089301004832	089301748651	089301005785
Heat Settings	3,800 BTU	4,000 / 9,000 BTU	6,000 / 12,000 BTU	4,000 / 9,000 / 18,000 BTU	4,000 / 9,000 / 18,000 BTU	8,000 - 11,000 BTU
Heat Up To:	95 Sq. Ft.	225 Sq. Ft.	300 Sq. Ft.	450 Sq. Ft.	450 Sq. Ft.	275 Sq. Ft.
Ignition	Piezo	Piezo	Electronic	Piezo	Electronic	Electronic
Fuel/Tank Size	1 lb. Propane Cylinder	1 lb. Propane Cylinder	1 lb. Propane Cylinder	(2X) 1 lb. Propane Cylinder	(2X) 1 lb. Propane Cylinder	1 lb. Propane Cylinder
Run Time 1# Propane Cylinder	5.6 Hrs.	5.4 Hrs. Low 2.4 Hrs. High	3.6 Hrs. Low 1.8 Hrs. High	10.8 Hrs. Low (Two 1 lb) 4.8 Hrs. Med. (Two 1 lb) 2.4 Hrs. High (Two 1 lb)	10.8 Hrs. Low (Two 1 lb) 4.8 Hrs. Med. (Two 1 lb) 2.4 Hrs. High (Two 1 lb)	3.5 Hrs. Low 2 Hrs. High
Attach to 20# Propane Tank	NO	YES	YES	YES	YES	YES
Run Time on (1) 20# Tank	N/A	108 Hrs. Low 48 Hrs. High	72 Hrs. Low 36 Hrs. High	108 Hrs. Low 48 Hrs. Med. 24 Hrs. High	108 Hrs. Low 48 Hrs. Med. 24 Hrs. High	70 Hrs. Low 40 Hrs. High
Patented Swivel Regulator	NO	YES	YES	YES	YES	YES
Built-in High Powered Fan	NO	NO	NO	NO	YES	NO



Buddy RED is recognized worldwide for comfortable, safe, portable heat.

BUDDY HEATER FEATURES

- Indoor safe
(Certified outdoor use only in Massachusetts/Canada)
- Tip-over safety shut-off
- Automatic low oxygen depletion shut-off system (ODS)
- Portable radiant heat
- 3-year warranty
- Certified

COMMON USES

- Ice fishing
- Hunting
- Camping
- Workshop
- Outdoor sports

Buddy heaters are not designed for permanent installation or for use above an altitude of 7,000 ft. Always check local codes for permitted uses.
 NOTICE: Not for use in a "dwelling home" in California
 * Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.
 ONLY USE APPROVED BUDDY HOSES WHEN CONNECTING ANY BUDDY HEATER TO 20 lb. BULK PROPANE TANKS
 NEVER use third party accessories or attachments with this heater (including attachments for warming or cooking); doing so will void the product warranty, is extremely dangerous, and may result in personal injury or death to you or others.

Buddy Heater Accessories



BUDDY HEATER CARRYING BAG

Portable Buddy® Carrying Bag

Stock # - F232078

UPC - 089301320789

Big Buddy® Carrying Bag

Stock # - F274889

UPC - 089301748897



NEW

FUEL KEG™ 1-LB REFILLABLE PROPANE

1-lb Refillable Propane Tank

Stock # - F200048

UPC - 089301999213

1-lb Propane Tank Refill Kit

Stock # - F200049

UPC - 089301999220

*1-lb refillable tank not included in starter kit



NEW

DUAL TANK HOOK UP KIT

Use with any 1-lb propane tank appliance*

*Not for use with MH4B Little Buddy®

Stock # - F200047

UPC - 089301994966



10' BUDDY SERIES HOSE ASSEMBLY

Use with 5 - 20 lb. Propane Tanks

Stock # - F273704

UPC - 089301737044

(Swivel 1" - 20 Male Disposable Cylinder Thread x Soft Nose Excess Flow POL with Handwheel) Connects propane appliances that are designed to be connected to 1lb. propane bottles to 5 - 20 lb. tanks.

Hand tighten swivels on both ends.

No Fuel Filter required.



8' UNIVERSAL PROPANE HOSE & GLOW IN THE DARK GAUGE ASSEMBLY

Use with 5 - 20 lb. Propane Tanks

Stock # - F273718

UPC - 089301005198

(Acme Nut x 1" - 20 Male Disposable Cylinder Thread) Connects propane appliances that are designed to be connected to 1 lb. propane bottles to 5 - 20 lb. tanks.

Works on any appliance that uses a disposable cylinder. Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.



PROPANE HOSE ASSEMBLIES

5' Propane Hose Assembly

Stock # - F273701

UPC - 089301737013

12' Propane Hose Assembly

Stock # - F273702

UPC - 089301737020

(Swivel 1" - 20 Male Disposable Cylinder Thread x Excess Flow Soft Nose POL with Handwheel) Connects appliances that are designed for disposable propane cylinders to a 5 - 20 lb. tank.

Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.



12' BIG BUDDY® HOSE WITH REGULATOR

Use with 5 - 20 lb. Propane Tanks

Stock # - F271803

UPC - 089301718036

(Quick Connect x Regulator with Acme Nut) - Used to hook a Big/Tough Buddy to a 20 lb. propane tank.

No fuel filter required



PROPANE HOSE ASSEMBLIES WITH ACME NUT

5' Propane Hose Assembly

Stock # - F273703-60

UPC - 089301703605

12' Propane Hose Assembly

Stock # - F273703-144

UPC - 089301031449

(Appliance End fitting/Acme Nut x 1" - 20 Male Disposable Cylinder Thread) Used to connect portable appliances to a 20 lb. propane tank.

Recommended use with F273699 Fuel Filter.



6V/800MA POWER ADAPTER

Use with Big Buddy®

Stock # - F276127

UPC - 089301761278



UNIVERSAL FUEL FILTER

Use with 20 lb. Propane Tank

Stock # - F273699

UPC - 089301736993

Recommended for use with all Portable Buddy, Hunting Buddy & Big Buddy Heaters when attaching to a 20 lb. propane tank. Most commonly used with F273703-60, F273703-144, F273701(5') & F273702(12') propane hose assemblies.

FUEL KEG™

REFILLABLE PROPANE TANK





RAPID REFILL SYSTEM™



SAFETY VALVE



**COMPLETE FILL
(16 OZ./1-LB)**



QUICK FILL TIME



TOOL-FREE OPERATION

NEW



FUEL KEG™ 1-LB REFILLABLE PROPANE TANK

1-lb Refillable Propane Tank

Stock # - F200048

UPC - 089301999213

- Refill, reuse, save money
- Complete fill in less than 60 seconds **Fill times may vary*
- Helps to reduce waste
- Easy to use
- *Patent Pending*

NEW



FUEL KEG™ 1-LB PROPANE TANK REFILL KIT

Tank Feet and “The Tap” Refill Valve Assembly

Stock # - F200049

UPC - 089301999220

Multi-Use Tank Feet

- 3 tank feet included in each kit
- Attach to safety collar of any standard 20 lb. tank
- Can be attached to the safety collar on the top of the tank for the refill process or can be attached to the bottom of the tank for increased stability when not in use
- Raises the tank only as much as the user needs to open the valve

“The Tap” Refill Valve Assembly

- No small tools to lose
- No small parts to strip out or damage
- Connects 1-lb refillable tank to 20-lb propane tank

GOLF CART HEATER



GOLF CART HEATER

Portable Radiant Heater

Model # - MH4GC
Stock # - F242010
UPC - 089301000223



4,000 BTU




Heats up to 100 sq. ft.



Runs 5.5 Hours on 1 lb.
Propane Cylinder

- Wind resistant protective screen
- Universal cup holder stand
- High-intensity radiant heat
- Automatic low oxygen depletion shut-off system (ODS)
- Tip-over safety shut-off
- Outdoor Use Only
- Certified

TANK TOP HEATERS



540 TANK TOP HEATER

- 3 heat settings: 30,000, 36,000, 45,000 BTU
- 360° burner head
- Multi-directional bracket
- No electricity needed
- Push button thermo-electric valve
- Tip-over safety shut-off
- Mounts to a 20 lb. cylinder
- Outdoor Use Only
- Certified



Model #	MH15C	MH15	MH15T	MH30T	MH45T	MH540T
Stock#	F242300 <i>Not available in Canada</i>	F242200 <i>Not available in Canada</i>	F242100	F242650	F242915	F242540
UPC	089301423008	089301422001	089301421004	089301426504	089301429154	089301000629
Heat Settings	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 / 20,000 / 25,000 / 30,000 BTU	10,000 / 12,500 / 15,000 / 20,000 / 25,000 / 30,000 / 37,500 / 45,000 BTU	30,000 / 36,000 / 45,000 BTU
Number of Burner Heads	1	1	1	2	3	1
Adjustable Burner Heads	Heater Position Cooker Position	No	Yes	Yes	Yes	Yes
Spark Ignition Available	No	No	Yes #F242105 MH15TS	Yes #F242655 MH30TS	No	No
Fuel/Tank Size	1 lb. Propane Cylinder	1 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder
Run Time on (1) 20 Lb. Tank	N/A	N/A	29 Hrs.	14.5 Hrs.	9.5 Hrs.	9.5 Hrs.
Tip-Over Safety Shut-Off	No	No	Yes	Yes	Yes	Yes



MH15TS with Piezo spark ignition

Stock # - F242105
Not available in Canada (not certified)

MH30TS with Piezo spark ignition

Stock # - F242655
Not available in Canada (not certified)

TANK TOP HEATERS COMMON USES

- No electricity needed
- Outdoor use only
- Certified
- Ice fishing
- Hunting
- Camping
- Construction sites

LOW PROFILE PATIO HEATER





NEW

LOW PROFILE PATIO HEATER

Model # - MH30LPPH

Stock # - F240205

UPC - 089301997110



18,000 – 30,000 BTU



Heats up to 750 sq. ft.



Runs 14 Hours on 20 lb
Propane Cylinder

- 360° burner
- 360° wind resistant screen
- Variable rate heat settings
- Patented reflector
- Reduces heat loss and waste
- Controlled heating area
- Holds a 20 lb propane cylinder
- Easy access cylinder house
- Sturdy base
- Tip-over safety shut-off
- Outdoor use only

CABINET HEATER



CABINET PATIO HEATER

Model # - MH18CH

Stock # - F227500

UPC - 089301275003



6,000 - 12,000 - 18,000 BTU



Heats up to 450 sq. ft.



Runs up to 72 hours on one 20 lb. propane tank

- Low-medium-high heat settings
- 20 lb. Propane tank mounts inside unit for easy portability
- Hose & regulator included
- Tip-over safety shut-off switch
- Automatic low oxygen depletion shut-off system (ODS)
- Rugged steel construction
- Piezo ignition
- Lockable casters
- Certified
- * 7000 ft High Altitude Restriction

PATIO HEATERS



TABLE TOP PATIO HEATER

Model # - MH11TTPH
Stock # - F270770
UPC - 00089301994171



11,000 BTU



Heats up to 275 sq. ft.

- Easily portable at a height of 35 inches
- Operates up to 2 hours
- Runs on 1lb. propane tank
- Variable rate heat output
- Quiet operation
- Tip-over safety shut-off



PATIO HEATER

Model # - MH48PH
Stock # - F270765
UPC - 089301988033



48,000 BTU




Heats up to 1,200 sq. ft.

- Double door design
- Electronic ignition
- Wheels included make repositioning easy
- 430# Stainless Steel
- Certified



VENT FREE HEATERS

BLUE FLAME *convection*




BEST FOR: INSULATED AREAS

Convection heat works by dispersing heated air, which then warms the space from the top down, much like a fireplace. Blue Flame warms the air and can be put in narrow areas.



RADIANT *infrared*



BEST FOR: DRAFTY AREAS

Radiant heat works by warming people and objects instead of the air, which in turn warms the space, much like the sun warming your face on a cold day. Infrared warms objects, which heat the air.

Dual Fuel (NG or LP) Vent Free Heaters



Model#	MHVDF10RT	MHVDF10BF	MHVDF20RTT	MHVDF20BFT	MHVDF30RTT	MHVDF30BFT
Stock #	F299410	F299310	F299420	F299320	F299430	F299330
UPC	089301004887	089301004856	089301004894	089301004863	089301004900	089301004870
BTU Rating	10,000	10,000	18,000 - LP 20,000 - NG	20,000	30,000	30,000
Burn Rate Per Hr.	.463 lbs/hr - LP .001 MCF/hr - NG	.463 lbs/hr - LP .001 MCF/hr - NG	.926 lbs/hr - LP .020 MCF/hr - NG	.926 lbs/hr - LP .020 MCF/hr - NG	1.389 lbs/hr - LP .030 MCF/hr - NG	1.389 lbs/hr - LP .030 MCF/hr - NG
Heats Up To: (Approx. Sq. Ft.)	300	300	700	700	1000	1000
Fuel	NG or LP	NG or LP	NG or LP	NG or LP	NG or LP	NG or LP
Minimum Recommended Tank Size	20 lb.	20 lb.	20 lb.	20 lb.	20 lb.	20 lb.
Ignition	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Optional Blower Fan	NO	NO	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201
Thermostat	NO Low - High	NO Low - High	YES	YES	YES	YES

Not Approved for use in California or Canada. Always check local codes for permitted uses. 4,500 ft. high altitude restriction.

VENT FREE DUAL FUEL HEATERS

Mr. Heater's vent free dual fuel system is composed of dual regulators and automatic oxygen depletion safety shut-off system sensors as well as a fail safe manual selector switch to ensure correct installation.

FEATURES

- Feet & wall mounting hardware included
- Automatic low oxygen depletion shut-off system (ODS)
- Certified

For your safety the heater will not stay lit unless the conditions below match the desired fuel type.


Dual automatic low oxygen depletion shut-off systems

Dual burner orifice's optimized for each fuel type

Manual valve selector switch – LP/NG

Dual regulators optimized for fuel type

Dual fuel input ports for LP/NG



Radiant Vent Free Heaters (Single Fuel)



Model #	MHVFRD10LP	MHVFRD10NG	MHVFRD20LPT	MHVFRD20NGT	MHVFRD30LPT	MHVFRD30NGT
Stock #	F299810	F299811	F299820	F299821	F299830	F299831
UPC	089301000902	089301001138	089301000933	089301001145	089301001053	089301001152
BTU Rating	10,000	10,000	18,000	20,000	30,000	30,000
Burn Rate Per Hr.	.463 lbs/hr	.001 MCF/hr	.926 lbs/hr	.020 MCF/hr	1.389 lbs/hr	.030 MCF/hr
Heats Up To: (Approx. Sq. Ft.)	300	300	700	700	1000	1000
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas
Minimum Recommended Tank Size	20 lb.	N/A	20 lb.	N/A	20 lb.	N/A
Ignition	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Optional Blower Fan	No	No	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201
Thermostat	No Low - High	No Low - High	Yes	Yes	Yes	Yes

Not Approved for use in California or Canada. Always check local codes for permitted uses. 4,500 ft. high altitude restriction.

VENT FREE RADIANT HEATERS

- Feet & wall mounting hardware included
- Low oxygen safety shut-off (ODS)
- Certified



This 10,000 BTU Propane Ice House Vent Free heater is the perfect heating solution for your ice house or fishing shanty. Unit includes a hose & regulator. The glass on the standard vent free unit has been replaced with a metal heat shield for added durability. Equipped with a thermostat for superior control of the temperature in your space.

- Hose & regulator included

Vent Free Ice-House Heater with Thermostat

Model # - MHVFIH10LPT
Stock # - F299813
UPC - 089301003187



-  10,000 BTU
-  Heats up to 300 sq. st.

VENT FREE ACCESSORIES

Blower Fan Kit

Stock # - F299201
UPC - 089301001183

Available for 20,000 & 30,000 BTU units.



Remote Propane Installation Kit

Stock # - F273684
UPC - 089301002555

For connecting Vent Free heaters to a remote Propane tank. Kit includes:

1. Two stage regulator with POL connection (F273863)
2. Handwheel (F273783)
3. 12' hose assembly (71163-144)
4. 3/8" MP x 3/8" MF adapter (F276262)
5. 3/8" female X 3/8" 90° male street elbow



Blue Flame Vent Free Heaters (Single Fuel)



Model#	MHVFBF10LP	MHVFBF10NG	MHVFBF20LPT	MHVFBF20NGT	MHVFBF30LPT	MHVFBF30NGT
Stock #	F299710	F299711	F299720	F299721	F299730	F299731
UPC	089301000766	089301000841	089301000773	089301000858	089301000780	089301000865
BTU Rating	10,000	10,000	20,000	20,000	30,000	30,000
Burn Rate Per Hr.	.463 lbs/hr	.001 MCF/hr	.926 lbs/hr	.020 MCF/hr	1.389 lbs/hr	.030 MCF/hr
Heats Up To: (Approx. Sq. Ft.)	300	300	700	700	1000	1000
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas
Minimum Recommended Tank Size	20 lb.	N/A	20 lb.	N/A	20 lb.	N/A
Ignition	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Optional Blower Fan	NO	NO	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201
Thermostat	NO Low - High	NO Low - High	YES	YES	YES	YES

Not Approved for use in California or Canada. Always check local codes for permitted uses. 4,500 ft. high altitude restriction.

VENT FREE BLUE FLAME HEATERS

- Feet & wall mounting hardware included
- Low oxygen safety shut-off (ODS)
- Certified



Black Vent Free Garage Heater (Natural Gas)

Model # - MHVFGH30NGBT
Stock # - F299741
UPC - 089301003194

Black Vent Free Garage Heater (Propane)

Model # - MHVFGH30LPBT
Stock # - F299740
UPC - 089301003200



30,000 BTU



Heats up to 1,000 sq. ft.

- Fan & thermostat included
- Metal heat shield for added durability with electronic ignition
- Low oxygen safety shut-off
- Integrated blower fan
- Adjustable thermostat
- Feet & wall mounting hardware included
- Minimum recommended propane tank size for F299740 is 20 lb.

"One Stop" Universal Gas Appliance Hook-up Kit

Stock # - F271239
UPC - 08930171239-3

Kit includes:

- 22" stainless steel flex gas connector
- Brass shut-off valve (1/2" female pipe thread x 1/2" male flare)
- 1/2" male flare x 1/2" male pipe
- 1/2" male flare x 3/8" male pipe
- 1/2" male flare x 3/8" female pipe
- Special gas seal tape for connections



CONVECTION HEATERS




CONVECTION HEATER FEATURES

- 10' Hose & Regulator Included
- Piezo Ignition System
- Certified



Model #	MH25CVX	MH80CVX	MH200CVX
Stock#	F270470	F270490	F270500
UPC	089301704701	089301000209	089301000216
BTU	25,000	30,000 / 80,000	75,000 / 200,000
Minimum Propane Tank Size	20 lb.	20 lb.	100 lb.
Approx. Run Time On Min. Tank Size	17 Hrs.	14 Hrs. (Low) 5.4 Hrs. (High)	29 Hrs. (Low) 10.8 Hrs. (High)
Approx. Heating Area	625 Sq. Ft.	2,000 Sq. Ft.	5,000 Sq. Ft.
Telescoping & Instant Locking Chamber	NO	YES	YES


PORTABLE RADIANT HEATERS



PORTABLE RADIANT HEATER

Model # - MH35LP
Stock # - F270700
UPC - 089301707009

 35,000 BTU


 Heats up to 875 sq. ft.


- Tip-over safety shut-off switch
- 10' hose & regulator included
- Includes fold-down handle & 3.5" tires
- Runs up to 12 hours on a 20 lb. propane tank
- Certified



360° PORTABLE RADIANT HEATER

Model # - MH125LP
Stock # - F270800
UPC - 089301708006

 125,000 BTU

 Heats up to 3,125 sq. ft.

- Welded frame, heat shield
- Tip-over safety shut-off switch
- 10' hose & regulator included
- Includes handle & wheels
- Runs up to 17 hours on a 100 lb. propane tank
- Certified

RADIANT DIESEL AND KEROSENE




RADIANT KEROSENE FEATURES


- Patented quiet burner technology
- LED readout for set temp. & room temp.
- Thermostatically controlled
- Cooling cycle
- Certified



RADIANT KEROSENE HEATER

Model # - MH70KTFR
Stock # - F270265
UPC - 089301002043

 70,000 BTU

 Heats up to 1,750 sq. ft.


- Runs up to 5 hours on full tank
- Thermostatically controlled
- 2.75 gallon fuel tank
- Fuel level indicator



RADIANT KEROSENE HEATER

Model # - MH125KTFR
Stock # - F270269
UPC - 089301002050

 125,000 BTU

 Heats up to 3,125 sq. ft.

- Runs up to 10 hours on full tank
- Thermostatically controlled
- Adjustable heat angle
- 9.25 gallon fuel tank
- Solid rubber tires

INCREASED BTUS FORCED AIR DIESEL AND KEROSENE



Model#	MH50KR	MH80KTR	MH140KTR	MH185KTR	MH210KTR
Stock#	F270255	F210180	F210140	F210185	F270385
UPC	089301702554	089301008717	089301008724	089301008731	089301703858
BTU Rating	50,000	80,000	140,000	185,000	210,000
Heats Up To: (Approx. Sq. Ft.)	1,250	2,000	3,500	4,625	5,250
Tank Size (Gallon)	4	6	8.5	13.4	13.4
Run Time: (Approx.)	11 Hrs.	10 Hrs.	8 Hrs.	10 Hrs.	8.5 Hrs.
Thermostat	Sold Separately	Included	Included	Included	Included
On-Board Diagnostics (LED)	NO	YES	YES	YES	YES
Power Requirement	115V / 60Hz / 3.5A	115V / 60Hz / 4A	115V / 60Hz / 5.5A	115V / 60Hz / 5.5A	115V / 60Hz / 5.5A
Fuel Gauge	NO	YES	YES	YES	YES
Tires	NO	NO	10" Flat-Free	10" Flat-Free	10" Flat-Free
Assembly Requirement	Yes (Handle)	Yes (Handle)	Yes (5 Minutes)	Yes (5 Minutes)	Yes (5 Minutes)
Air Pressure Gauge	NO	NO	YES	YES	YES
Drain Plug	NO - Drains from fill	NO - Drains from fill	YES - Steel	YES - Steel	YES - Steel

FORCED AIR DIESEL & KEROSENE HEATERS

- Runs on diesel, kerosene, jet fuel & fuel oil
- Industry's best cold weather starting capability
- Heavy-duty flat-free tires with steel bearings
- On board diagnostic for easy troubleshooting
- Industry's thickest steel construction
- High powered fan & motor design
- Continuous ignition system
- Illuminated on/off switch
- Low lift handles
- Certified

COMMON USES

- Construction sites
- Workshops
- Garages



IN-LINE THERMOSTAT

(For MH50KR only)

Stock # - F261210
UPC - 089301612105

FORCED AIR PROPANE

**WITH QUIET BURNER
TECHNOLOGY®**



Forced Air Propane Comparison Chart



Model#	MH38QFA	MH60QFAV	MH85QFAV	MH125QFAV	MH170QFAVT	MH400FAVT
Stock#	F271350	F271370	F271380	F271390	F271400	F272425
UPC	089301713505	089301713703	089301713802	089301713901	089301714007	089301724259
BTU Rating	38,000	30,000 / 60,000	50,000 / 85,000	75,000 / 125,000	125,000 / 175,000	250,000 / 400,000
Variable Output	NO	YES	YES	YES	Thermostat YES	Thermostat YES
Heats Up To: (Approx. Sq. Ft.)	950	1,500	2,125	3,125	4,250	10,000
Minimum Recommended Tank Size	20 lb.	20 lb.	20 lb.	40 lb.	100 lb.	(2X) 100 lb.
Approx. Run Time On Minimum Tank Size	12 Hrs.	7 Hrs. High 14 Hrs. Low	5 Hrs. High 8.5 Hrs. Low	7 Hrs. High 11.5 Hrs. Low	12.5 Hrs. High 17 Hrs. Low	10 Hrs. High 17 Hrs. Low
Ignition	Piezo	Continuous	Continuous	Continuous	Automatic Solid State	Automatic Solid State

FORCED AIR PROPANE HEATERS

- 10' hose & regulator included
- Operates on propane
- Patented Quiet Burner Technology®
- Runs 50% quieter than all other forced air propane heaters
- Certified

COMMON USES

- Construction sites
- Workshops
- Garages

TWO TANK HOOK UP KIT

Stock # - F273737
UPC - 089301737372

(30" Hose Assembly with Excess Flow Soft Nose POL's on both ends x Full Flow Tee)
- Most commonly used to hook multiple bulk tanks to most applications.



PORTABLE ELECTRIC HEATER



ELECTRIC HEATER

Model # - MHE150FAT

Stock # - F236200

UPC - 089301994195



5,118 BTU



Heats up to 170 sq. ft.

- 120v, 1500W
- Instant, whisper quiet heat
- Thermostatically controlled
- Low and high heat settings
- Fan only option
- Tip-Over Safety Shut-Off
- Overheat protection with automatic shutdown
- Integrated handle for easy portability
- Power indicator light
- 6-foot power cord
- Ideal for small and medium rooms
- Certified

ELECTRIC BUDDY® FEATURES

- 120v, 1500W
- 6 ft. cord length
- Integrated cord wrap
- Safety features
 - Tip-over safety switch
 - Overheat protection

Electric Buddy®




NEW

PORTABLE ELECTRIC BUDDY

Model # - MHBE150FAT
Stock # - F236300
UPC - 089301994935

 5,118 BTU

 Heats up to 170 sq. ft.

- Fold down handle
- Ceramic heating element
- 2 Heat settings: Low/High
- Fan only setting
- Adjustable thermostat
- Power indicator light
- Ideal for small and medium rooms
- Certified




NEW



WALL MOUNT ELECTRIC BUDDY

Model # - MHBEW150FATRW
Stock # - F236330
UPC - 089301994911

 5,118 BTU

 Heats up to 170 sq. ft.

- Unit mounts to wall
- Ability to control heater via WiFi through Smart Life app
 - *App is free for iOS and Android*
- Simple voice controls enabled with common smart home devices
- Infrared heating element
- LED touch screen display
- 3 heat modes: Eco/Low/High
- Adjustable thermostat with 12H timer
- Ideal for medium and large rooms
- Certified

PORTABLE ELECTRIC HEATERS



ELECTRIC HEATER FEATURES


- Thermostatically controlled
- Fan only option
- Quiet operation
- Adjustable heat angle
- 6' Cord & plug included
- Certified



1.5 kW PORTABLE FORCED AIR ELECTRIC HEATER

Model # - MH165FAET
Stock # - F236120
UPC - 089301001305

 5,118 BTU

 Heats up to 136 sq. ft.


- Thermostatically controlled
- 120V, 15 amp



3.6 kW PORTABLE FORCED AIR ELECTRIC HEATER

Model # - MH360FAET
Stock # - F236125
UPC - 089301000636

 12,283 BTU

 Heats up to 307 sq. ft.

- Thermostatically controlled
- 240V 15 amp double pole breaker required

MOUNTED ELECTRIC HEATER



ELECTRIC HEATER FEATURES

- Thermostatically controlled
- Fan only option
- Quiet operation
- High & low heat settings
- 6' Cord included (plug sold separately)
- Certified



5.3 kW FORCED AIR ELECTRIC GARAGE HEATER

Model # - MH530FAET

Stock # - F236130

UPC - 089301000643



18,084 BTU



Heats up to 452 sq. ft.

- Thermostatically controlled
- 240V 30 amp double pole breaker required
- Plug sold separately
- Adjustable heat angle
- Ceiling mount with tilt & swivel feature

RADIANT GARAGE & WORKSHOP





RADIANT GARAGE & WORKSHOP HEATER FEATURES

- Heats up to 625 sq. ft. (2-1/2 car garage)
- Mounted installation
- No electricity required - heats during power outages
- Includes thermostat & mounting brackets
- Certified

RADIANT GARAGE & WORKSHOP HEATER


Model # - MH25LP
Stock # - F272100
UPC - 089301721005

 22,000 BTU

 Heats up to 625 sq. ft.

Model # - MH25NG
Stock # - F272200
UPC - 089301722002

 25,000 BTU

 Heats up to 625 sq. ft.



As seen on **ask**
The Old **House**

CONVERSION KITS

Natural Gas to Propane

Stock # - F200293
UPC - 089301002937

Propane to Natural Gas

Stock # - F200294
UPC - 089301002944

ACCESSORY

Universal Hook Up Kit

Stock # - F271239
UPC - 089301712393

RADIANT GARAGE AND WORKSHOP



RADIANT GARAGE & WORKSHOP HEATER FEATURES

- Heats up to 1,000 sq. ft.
- Hanging installation
- No electricity required - heats during power outages
- Includes thermostat & mounting brackets
- Certified



RADIANT GARAGE & WORKSHOP HEATER

Model # - MH40LP
Stock # - F272700
UPC - 089301727007



40,000 BTU



Heats up to 1,000 sq. ft.


Model # - MH40NG
Stock # - F272800
UPC - 089301728004



40,000 BTU



Heats up to 1,000 sq. ft.



ACCESSORY

Universal Hook Up Kit

Stock # - F271239
UPC - 089301712393

CONVERSION KITS


Natural Gas to Propane

Stock # - 00285A
UPC - 856795001452

Propane to Natural Gas

Stock # - 00286A
UPC - 856795001469

RADIANT OVERHEAD HEATERS



*Shown with optional decorative grid kit



LOW INTENSITY INFRARED RADIANT TUBE HEATER

Model # - MH45GSP

Stock # - F202860

UPC - 089301028500

Decorative Grid Kit

Stock # - F102859

UPC - 089301003835



45,000 BTU



Heats Up to 1,125 Sq. Ft.

- Ships pre-assembled for simple installation
- Provides uniform heat distribution
- Compact aluminized steel U-tube design
- 4" venting connections
- Polished aluminum deep-dish reflector
- Commercial approved
- Indoor / outdoor approved with proper ventilation
- Ships as natural gas
 - includes propane conversion kit
- Thermostat available: 10371
- Horizontal vent kit: F102860
- Vertical vent kit: F102848
- Certified

RESTAURANT/PATIO RADIANT GLASS HEATER

Model # - MHRP37GL

Stock # - F240200

UPC - 089301028500



37,000 BTU



Heats Up to 850 Sq. Ft.

- Includes brackets, heat deflector & on/off remote
- Highly efficient, quiet radiant heat
- Constructed of high quality materials
- Compact, minimal design
- No air movement
- Instant heat
- Spark ignition
- Ships as natural gas
 - includes propane conversion kit
- Certified



NEW

UNIT HEATERS

BIG MAXX[®]

NEW MODELS



Model #	MHU50	MHU80	MHU125	MHU200NGPALP	MHU250NGPALP	MHU300NGPALP	MHU400NGPALP
Stock #	F260550	F260560	F260590	F263063	F263064	F263065	F263066
UPC	089301605503	089301605602	089301002142	089301995857	089301995871	089301995895	089301995918
BTU Rating	50,000	80,000	125,000	200,000	250,000	300,000	400,000
Heats Up To: (Approx. Sq. Ft.)	1,667	2,667	4,167	6,700	8,400	10,000	13,400

UNIT HEATER FEATURES

- Runs on propane or natural gas
- Ships as natural gas with propane conversion kit (kit sold separately on models 200,000-400,000 BTU)
- Recommended thermostat: 24V
- Certified

COMMON USES


- Garages
- Workshops



Compatible with WiFi/digital thermostats

BIG MAXX®

Accessories



VENT KITS

Vertical Vent Kit 4"

Stock # - F102848

UPC - 089301028487


Includes: (1) 4" x 36" B-vent pipe, (2) 4" x 24" vent pipe, (1) 4" 90-degree elbow, (1) wall fire stop, (1) roof flashing, (1) storm collar, (1) vent cap.

Vertical Vent Kit 6"

Stock # - F102849

UPC - 089301004573

Includes: (1) 6" x 36" B-vent pipe, (2) 6" x 24" vent pipe, (1) 6" 90-degree elbow, (1) wall fire stop, (1) roof flashing, (1) storm collar, (1) vent cap.



Horizontal Vent Kit 4"

Stock # - F102860

UPC - 089301028609

Includes: (1) 4" adapter, (1) 45 degree elbow, (1) 4"x12" length, (1) 4" adjustable length (6"-19"), (1) wall thimble, (1) 4" screened termination tee, (1) Hi-temp 2.8 oz. silicone, (1) SS screw kit.

(Stainless steel meets category III venting standards)

Horizontal Vent Kit 6"

Stock # - F102861

UPC - 089301007253

Includes: (1) 6" adapter, (1) 45 degree elbow, (1) 6"x12" length, (1) 6" adjustable length (6"-19"), (1) wall thimble, (1) 4" screened termination tee, (1) Hi-temp 2.8 oz. silicone, (1) SS screw kit.

(Stainless steel meets category III venting standards)



THERMOSTAT

Analog Thermostat

Stock # - F210359

UPC - 08930110359-7

- Low voltage Reed switch
- Certified

PORTABLE CATALYTIC HEATERS

**CERTIFIED
INDOOR SAFE**

CATALYTIC HEATER FEATURES

- Indoor safe
- Not for use in Massachusetts or Canada
- Not for use in dwelling home
- Low oxygen shut-off system (ODS)
- Accidental tip-over safety shut-off
- No electricity required
- Not for permanent installation
- Not for use in wet conditions
- Not for use in windy conditions
- For use in dry environments only
- Runs on 20 lb. propane tank
(Never bring 20 lb. propane tank indoors)
- Certified



Feet included



**Journey
SERIES**



Dust shield included



22" propane hose assembly included

Model #	MHCAT3LP	MHCAT6LP	MHCAT8LP
Stock #	F209150	F209250	F209350
UPC	089301004306	089301004313	089301004320
BTU Rating	3,000	6,000	8,000
Heats Up To: (Approx. Sq. Ft.)	100	200	300



PROPANE HOSE ASSEMBLIES

Stock # - F271161-144 = 144"

UPC - 089301005167

(Regulator with Appliance End Fitting/Acme Nut x 3/8" Female Flare) - For Type 1 (QCC-1©) propane systems.

Portable catalytic heaters are not designed for permanent installation or for use above an altitude of 7,000 ft.

Always check local codes for permitted uses.

NOTICE: Not for use in a "dwelling home" in California

* Not for use in Massachusetts or Canada.

NEVER use third party accessories or attachments with this heater (including attachments for warming or cooking); doing so will void the product warranty, is extremely dangerous, and may result in personal injury or death to you or others.

WARMERS



6
HOURS

F235051

F235052

TOE WARMERS

30 individual pairs per cut case

Stock # - F235051

UPC - 089301002074

- 8 display boxes containing 30 packs with a total of 240 individual pairs

15 - 8 packs per cut case

Stock # - F235052

UPC - 089301002357

- Adhesive back
- 2 display boxes containing 15 packs of 8 pairs, with a total of 30 packs



7
HOURS

F235091

FULL FOOT WARMERS

30 individual pair per cut case

Stock # - F235091

UPC - 089301002494

- Adhesive back
- 6 display boxes containing 30 packs with a total of 180 individual pairs



8
HOURS

F235011

F235012

HAND WARMERS

40 individual pairs per cut case

Stock # - F235011

UPC - 089301002067

- 6 display boxes containing 40 packs with a total of 240 individual pairs

12 - 10 packs per cut case

Stock # - F235012

UPC - 089301002340

- 2 display boxes containing 12 packs of 10 pairs, with a total of 24 packs

Do not place warmers directly against skin. Remove warmers immediately if they become too warm or uncomfortable.

SEAT WARMER



14
HOURS



5
HOURS



XL WARMERS

40 individual warmers per cut case

Stock # - F235076
UPC - 089301002081

- 6 display boxes containing 40 packs with a total of 240 individual warmers

12 - 10 packs per cut case

Stock # - F235077
UPC - 089301002364

- Adhesive back
- 2 display boxes containing 12 packs of 10 warmers, with a total of 24 packs

SEAT WARMER

12 individual warmers per cut case

Stock # - F235041
UPC - 089301005105

- 6 display boxes containing 12 packs with a total of 72 individual warmers

SEAT CUSHION WITH WARMER POCKET

1 warmer included

Stock # - F235001
UPC - 089301005112

- 2 display boxes containing 3 cushions with a total of 6 individual units
- Includes 1 warmer
- Displays in 3 pack box
- Pocket lined with reflectors to reflect heat upward

CAMPING



TENT FAN

Tent Fan with LED Light

Stock # - F235100
UPC - 089301351004



- Fan runs 48 hours on low & 24 hours on high

- Two speeds
- Light runs up to 100 hours
- Carabiner hook included
- Operates with 4 x D batteries (not included)
- Certified



ANGLE IRON STOVES

Single Burner

Stock # - F235825
UPC - 089301358256

Double Burner

Stock # - F235830
UPC - 089301358300

Triple Burner

Stock # - F235835
UPC - 089301358355

- For use with propane
- Outdoor use only
- Hose & regulator required (Sold Separately)

**Not approved for use in Canada*

- Certified



PROPANE HOSE ASSEMBLIES

5' Propane Hose Assembly

Stock # - F273071
UPC - 089301730717

12' Propane Hose Assembly

Stock # - F273072
UPC - 089301730724

(Regulator w/Restricted Flow Soft Nose POL and Hand Wheel x 3/8" Female Flare)
Connects low pressure portable propane appliances to a 20 lb. propane tank.

PROPANE TORCHES




PROPANE TORCH FEATURES

- Needle valve adjustment
- Excess flow POL fitting
- Certified



HANDHELD TORCH

Model # - MH500LPT
Stock # - F272602
UPC - 089301726024


 500,000 BTU

- 10' hose included
- 36" heavy-duty shaft
- Ergonomic handle
- Striker included
- Lightweight, easy to use




HANDHELD TORCH

Model # - MH400PT
Stock # - F272601
UPC - 089301726017

 400,000 BTU

- 10' hose included
- 31" total length
- Lightweight, easy to use
- 8 pack cut case



HOSES, FITTINGS, & ACCESSORIES



DUAL TANK HOOK UP KIT



NEW

DUAL TANK HOOK UP KIT

Use with any 1 lb. propane
tank appliance

Stock # - F200047

UPC - 089301994966

- Connects two 1 lb. propane tanks to any standard propane appliances
- Draws evenly from both tanks
- Longer run times
- Includes tankfoot
- Higher tank yield
- Easy to transport



Hose Assemblies

5' Propane Hose/Regulator Assembly

Stock # - F273071
UPC - 089301730717

12' Propane Hose/Regulator Assembly

Stock # - F273072
UPC - 089301730724

(Regulator with Restricted Flow Soft Nose POL and Handwheel x 3/8" Female Flare) Connects low pressure portable propane appliances to a 20 lb. propane tank.



5' Propane Hose/Regulator Assembly

Stock # - F273076
UPC - 089301730762

12' Propane Hose/Regulator Assembly

Stock # - F273077
UPC - 089301730779

(Regulator with Soft Nose POL and Handwheel x 3/8" Female Pipe Thread) Connects low pressure portable propane appliances to a 20 lb. propane tank.



Propane Hose & Regulator Assembly with Appliance End Fitting/Acme Nut

Stock # - F271161 = 22"

UPC - 089301711617

Stock # - F271161-144 = 144"

UPC - 089301005167

(Regulator with Appliance End Fitting/Acme Nut x 3/8" Female Flare) - For Type 1 (QCC-1©) propane systems.



5' Propane Hose Assembly

Stock # - F276124
UPC - 089301761247

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread) Used to connect low pressure propane appliances to low pressure propane regulators.



22" Propane Replacement Barbecue Hose

Stock # - F273716
UPC - 089301737167

(3/8" Male Pipe Thread x 3/8" Female Flare) - Fits most BBQ propane gas grills.

Most commonly used with F273761 regulator



5' Propane Hose Assembly

Stock # - F273707
UPC - 089301737075

9' Propane Hose Assembly

Stock # - F273707-108
UPC - 089301071087

(1/4" Male Pipe Thread x 3/8" Female Flare) Replaces most propane hose assemblies between regulator and fish cooker/smoker, torches, or other propane appliances.



30", 60" - Propane Hose Assembly (XX = inches)

Stock # - F271163-(XX)

30" UPC - 089301163300

60" UPC - 089301163607

(3/8" Male Pipe Thread x 3/8" Female Flare) - Most commonly used to hook a low pressure regulator to a propane appliance.



UL
Assembly
(UL 569/UL 21)

5' Propane Appliance Extension Hose Assembly

Stock # - F273717
UPC - 089301737174

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose) - Use as an extension hose for portable propane appliances.



15' Propane Appliance Extension Hose Assembly

Stock # - F271470
UPC - 089301714700

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread) (3/8" ID High Pressure Hose) Used in addition to the existing propane hose for more length between propane tank and propane appliances.



15' Propane Appliance Extension Hose Assembly

Stock # - F271474
UPC - 089301714748

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose) Use as an extension hose for portable propane appliances.





5' Propane Hose Assembly

Stock # - F273701

UPC - 089301737013

12' Propane Hose Assembly

Stock # - F273702

UPC - 089301737020

(Swivel 1"- 20 Male Disposable Cylinder Thread x Excess Flow Soft Nose POL with Handwheel) Connects appliances that are designed for disposable propane cylinders to a 5 - 20 lb. tank.

Hand tighten swivel on both ends.

Recommended use with F273699

Fuel Filter



5' Propane Hose Assembly

Stock # - F276148

UPC - 089301761483

(9/16" Left Hand Female Threads on Both Ends) Used to connect one propane hose or for additional length connect two F276148 hoses with F276154 propane brass fitting.



10' Buddy Series Hose Assembly

Stock # - F273704

UPC - 089301737044

(Swivel 1"- 20 Male Disposable Cylinder Thread x Soft Nose Excess Flow POL with Handwheel) Connects propane appliances that are designed to be connected to 1lb. propane bottles to 5 - 20 lb. tanks.

Hand tighten swivels on both ends.

No Fuel Filter required



5' Propane Hose Assembly

Stock # - F273703-60

UPC - 089301703605

12' Propane Hose Assembly

Stock # - F273703-144

UPC - 089301031449

(Appliance End fitting/Acme Nut x 1" - 20 Male Disposable Cylinder Thread) Used to connect portable appliances to a 20 lb. propane tank.

Recommended use with F273699 Fuel Filter



20" Propane Hose Assembly

Stock # - F271138-20

UPC - 089301138209

(Acme Nut x 1/4" Male Pipe Thread) Commonly used to connect bulk propane tank on a camper to a regulator. 200,000 BTU Capacity



5' Propane Hose Assembly

Stock # - F273710

UPC - 089301737105

12' Propane Hose Assembly

Stock # - F273711

UPC - 089301737112

(Swivel 1"-20 Male Disposable Cylinder Thread x Swivel 1"-20 Female Disposable Cylinder Thread) - Used with most propane distribution posts and "Y" (F271715) connectors as well as 1lb. propane cylinders.

Hand tighten swivel on both ends.



60", 144" - Lengths (XX = inches)

Stock # - F271144-(XX)

60" UPC - 089301144606

144" UPC - 089301441446

(Excess Flow Soft Nose POL x 1/4" Inverted Male Flare) Commonly used to connect an auxiliary bulk propane tank to a motor home.



20" Propane Hose Assembly

Stock # - F271139-20

UPC - 089301010819

(Acme Nut x 1/4" Male Pipe Thread) Commonly connect bulk propane tank to a regulator. 400,000 BTU Capacity



12", 15", 18" - Lengths (XX = inches)

Stock # - F271158-(XX)

12" UPC - 089301158122

15" UPC - 089301158153

18" UPC - 089301158184

(Acme Nut x 1/4" Inverted Male Flare) Connects to propane tank and propane auto change-over dual stage regulator. (F273766)



200,000 BTU Capacity

72" Propane Hose Assembly

Stock # - F271149-72

72" UPC - 089301149724

(3/8" Female Flare x 3/8" Female Flare) - Connects existing propane gas line to appliances equipped with 3/8" male flare



NEW 12", 18" - Lengths (XX = inches)

Stock # - F271159-(XX)

12" UPC - 089301010826

18" UPC - 089301010833

(Acme Nut x 1/4" Inverted Flare) Connects to propane tank and propane auto change-over dual stage regulator.



400,000 BTU Capacity



Hose Assemblies

12' Big/Tough Buddy Hose with Regulator

Stock # - F271803
UPC - 089301718036

(Quick Connect x Regulator with Acme Nut) - Used to hook a Big/Tough Buddy to a 20 lb. propane tank. (Not compatible with the Buddy FLEX™)



12' Big/Tough Buddy RV Hose

Stock # - F271802
UPC - 089301718029

(Quick Connect x 3/8" Female Flare) Used to hook an existing regulated propane line in a camper or motor home to the Big/Tough Buddy.



12' Quick-Connect Propane Hose Assembly

Stock # - F271117
UPC - 089301711174

(Male quick-connect X swivel 1"-20 male Disposable cylinder thread) Connect a high-pressure grill or appliance that uses throw-away propane cylinders to a high-pressure RV onboard propane supply.



12' Quick Connect Propane Hose Assembly with Shut Off Valve and Full Flow Male Plug

Stock # - F271807
UPC - 089301996885

Connects a low pressure propane gas grill to an onboard RV propane supply.



12' Natural Gas/Propane Patio Hose Assembly

Stock # - F273720
UPC - 089301737204

(3/8" Female Pipe Thread x 3/8" Male Flare Quick Connect/Disconnect with Dust Plug and Cap) Used when connecting natural gas BBQ grills attached to decks or patios to the supply from a structure.



10' RV Quick-Connect Hose Assembly

Stock # - F273708
UPC - 089301021266

(3/8" Female Flare x Type 250 Male Quick-Connect)



8' Universal Propane Hose & Glow in the Dark Gauge Assembly

Stock # - F273718
UPC - 089301005198

(Acme Nut x 1" - 20 Male Disposable Cylinder Thread) Connects propane appliances that are designed to be connected to 1 lb. propane bottles to 5 - 20 lb. tanks.

Works on any appliance that uses a disposable cylinder. Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.



Indicator glows in the dark.





Propane Auto-Changeover High Capacity Two Stage Regulator

Stock # - F273846
UPC - 089301994812

Two stage auto changeover regulator provides easy change over from empty to full cylinder while providing adequate fuel to your RV. Complete with cover bracket and hardware (not shown). 11" wc 400,000 BTU max flow. 2 - 1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet - Propane level indicator located on top of regulator.

400,000 BTU



Propane Auto-Changeover Two Stage Regulator

Stock # - F273776
UPC - 089301994805

Two stage auto changeover regulator provides easy change over from empty to full cylinder while providing adequate fuel to your RV. Complete with cover bracket and hardware (not shown). 11" wc 325,000 BTU max flow. 2 - 1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet - Propane level indicator located on front of regulator.



Propane Vertical Two Stage Regulator

Stock # - F273763
UPC - 089301737631

Propane Horizontal Two Stage Regulator

Stock # - F273868
UPC - 089301738683

Propane Horizontal Two Stage Regulator with POL

Stock # - F273863
UPC - 089301738638

Dual stage regulator uses both a high/low pressure regulator to provide smooth and continuous flow to the appliance or RV while providing 11" wc Complete with covers (not shown). 225,000 BTU max flow. 1/4" Female Pipe Thread Inlet x 3/8" Female Pipe Thread Outlet.

Vertical

Horizontal



Propane Low Pressure Regulator

Stock # - F273767
UPC - 089301737679

1/4" Female Pipe Thread (Inlet) x 3/8" Female Pipe Thread (Outlet) Use with low pressure propane appliances up to 115,000 BTU's.



Propane Portable Table Top Regulator

Stock # - F273769
UPC - 089301737693

(1"-20 Female Disposable Cylinder Thread Inlet x Orifice Outlet). Used with most propane tabletop grills.



Propane High Pressure Regulator with POL

Stock # - F273719
UPC - 089301737198

Range of 0 - 20 PSI (Full Flow Soft Nose POL X 1/4" Female Pipe Thread) - Most commonly used on deep fryers, fish cookers, smokers or other high pressure propane appliances.



Propane Low Pressure Regulator with POL

Stock # - F276136
UPC - 089301761360

(3/8" Female Pipe Thread x Restricted Flow Soft Nose POL) - 11" wc low pressure regulator will operate BBQ grills and low pressure appliances. 75,000 BTU max flow.



Propane Regulator with Acme Nut

Stock # - F273768
UPC - 089301737686

Acme nut x 3/8" female pipe thread. 11" wc low pressure regulator. For use with most propane grills 75,000 BTU max flow.



Propane Low Pressure 90° Regulator w/ Acme Nut

Stock # - F273761
UPC - 089301737617

(3/8" Female Pipe Thread x Appliance End Fitting) - For Type 1 (QCC-1®) gas grill systems. 11" wc regulator. 90°, 75,000 BTU max flow.



Propane Low Pressure 90° Regulator with POL

Stock # - F273759
UPC - 089301737594

(3/8" Female Pipe Thread x Restricted Flow Soft Nose POL) 11" wc low pressure regulator will operate propane BBQ grills and low pressure propane appliances. 90°, 75,000 BTU max flow.





Brass Fittings & Accessories

Excess Flow Soft Nose POL x 1/4" Male Pipe Thread with Handwheel

Stock # - F273655
UPC - 089301736559



Full Flow Soft Nose POL with Handwheel x 1/4" Male Pipe Thread

Stock # - F273762
UPC - 089301737624



9/16" Left Hand Thread x Restricted Flow Soft Nose POL with Handwheel

Stock # - F276129
UPC - 089301761292




1/4" Male Pipe Thread x Restricted Flow Soft Nose POL with Handwheel

Stock # - F276139
UPC - 089301761391




1/4" Male Pipe Thread x 1"-20 Female Disposable Cylinder Thread

Stock # - F273754
UPC - 089301737549



1/4" Male Pipe Thread x 1"-20 Male Disposable Cylinder Thread

Stock # - F273755
UPC - 089301737556




1" - 20 Male Disposable Cylinder Thread x 1/4" Female Pipe Thread

Stock # - F276140
UPC - 089301761407



9/16" Left Hand Male Thread x 1"-20 Disposable Cylinder Thread with Shut-off

Stock # - F276130
UPC - 089301761308



1/4" Inverted Female Flare x 1/4" Male Pipe Thread

Stock # - F273729
UPC - 089301737297

Replacement inlet fitting for F273766 auto-changeover regulator.



Propane "Steak Saver" Adapter

Stock # - F276171
UPC - 089301761711

(1" - 20 Female Disposable Cylinder Thread x Female POL & Acme Thread) Used with 1lb. bottles to grills or distribution posts to grills.



Propane Tank Refill Adapter

Stock # - F276172
UPC - 089301761728

(Female 1 lb. Cylinder Thread x Soft Nose POL) - Refills 1lb. bottles in 1 minute or less.

NOT AVAILABLE IN CANADA





Propane Grill Acme Nut

Stock # - F276495

UPC - 089301764958

(Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) For appliances with 80,000 BTU's or less.



Propane RV Acme Nut (Green)

Stock # - F276497

UPC - 089301764972

(Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) - 200,000 BTU Capacity.



NEW

High Flow Propane Acme Nut (Red)

Stock # - F276499

UPC - 089301010802

Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) - 400,000 BTU Capacity.



Propane Bulk Cylinder Adapter with Handwheel

Stock # - F273758

UPC - 089301737587

(1"-20 Disposable Cylinder Thread x Restricted Flow Soft Nose POL) To be attached directly to a bulk tank (i.e., Mr. Camper, Coleman Co. Inc.®, or Century Primus® stove).



Propane Bulk Cylinder Adapter with Acme Nut

Stock # - F276133

UPC - 089301761339

Acme Nut x 1"-20 Male Disposable Cylinder Thread Used to hook portable appliances to new propane tanks.



Propane Brass Caps

Stock # - F276400

UPC - 089301764002

(1" - 20 Female Pipe Thread) - Provides threaded protection for most posts, tees, etc. Two caps provided.



30"/15" Propane Distribution Post/Tree

Stock # - F271744

UPC - 089301009110

(Three 1"-20 Male Disposable Cylinder Threads x Full Flow Soft Nose POL) Hooks 3 propane appliances to a single 20 lb. propane tank. Can hook up to new QCC-1® and old style cylinders.



Propane Black Pipe Tee

Stock # - F271733

UPC - 089301717336

(2 - 1"-20 Disposable Cylinder Threads x Appliance End/Acme Nut Fitting) Hookup 2 appliances to a refillable 20lb. cylinder (use with F273712 hose assy.).



Propane Black Pipe Tee with Adapter

Stock # - F271736

UPC - 089301717367

Appliance End/Acme Nut fitting x 1"-20 Throaway Cylinder Thread x Female POL with Acme Thread (Use with hose assemblies. F273074, F273706 and F273712).



Propane Converter

Stock # - F276338

UPC - 089301763388

Converts white gas style stoves to 1 lb. propane tanks Converter is Pressure Regulated and has a Variable Rate Control.



Propane Gas Gauge

Stock # - F276342

UPC - 089301763425

(Appliance End Fitting/Acme Nut x Acme Thread and Female POL) - Meets all Type 1 safety standards.





Brass Fittings & Accessories

Propane "Y" Male Adapter with Handwheel

Stock # - F271715

UPC - 089301717152

(Excess Flow Soft Nose POL x 2 - 1"-20 Disposable Cylinder Threads) Hookup 2 propane appliances to a refillable 20 lb. propane cylinder (use with F273710-11 hose assy.).



Propane "Y" Female Adapter with Handwheel

Stock # - F271735

UPC - 089301717350

(Excess Flow Soft. Nose POL x Two Female POL's with Acme Threads) Hook up 2 propane appliances to a bulk propane tank (use with F273701-02).



Propane Double Quick Connect

Stock # - F271716

UPC - 089301004924

(2 1/4" Female Quick Connects x 1/4" Male Quick Connect) Hookup 2 low pressure propane appliances to an RV.



Propane Tank Quick Connect

Stock # - F271718

UPC - 089301004948

(1/4" Female Quick Connect x Appliance Acme Nut) 11" wc regulator. 90°, 75,000 BTU max flow.



Propane Adapter Tee

Stock # - F273751

UPC - 089301737518

(Excess Flow Soft Nose POL x 1"-20 Disposable Cylinder Thread x Female POL with Acme Thread) (Use with hose assy. F273710-11 and F273701-02).



Propane Stay A While Tee

Stock # - F273752

UPC - 089301737525

(Excess Flow Soft Nose POL x 1"-20 Male Disposable Cylinder Thread x Female POL with Acme Thread x 1/4" Inverted Female Flare) - Connects auxiliary propane cylinder to additional propane appliance.



Propane 90° Stay Flow Adapter

Stock # - F273753

UPC - 089301737532

(Excess Flow Soft Nose POL x 1"-20 Male Disposable Cylinder Thread x Female POL and Acme Thread) - Connects additional propane appliance to 20 lb. propane tank.




Propane 90° Elbow

Stock # - F273760

UPC - 089301737600

(Restricted Flow Soft Nose POL x 1" - 20 Male Disposable Cylinder Thread) - Allows for propane appliances designed to be attached directly to refill cylinder such as a propane lantern.



1/4" Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276152

UPC - 089301761520



3/8" Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276153

UPC - 089301761537



9/16" Left Hand Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276154

UPC - 089301761544



3/8" Male Pipe Thread x 3/8" Male Flare

Stock # - F276262

UPC - 089301762626





Propane Stay A While Kit

Stock # - F273733

UPC - 089301737334

Propane Stay A While Deluxe Kit

Stock # - F273734

UPC - 089301737341

Connects auxiliary propane hose cylinder to motor home.
 5' Propane Flexible pigtail hose assembly: Soft Nose excess flow POL x 1/4" inverted male flare; stay a while tee: excess flow Soft Nose POL x 1" - 20 male disposable cylinder thread x female POL with Acme thread x 1/4" inverted female flare
 (F273734 includes an additional 12' propane hose assembly)



F273734 complete deluxe kit

Propane 2 Tank Hook Up Kit

Stock # - F273737

UPC - 08930173737-2

(30" Hose Assembly with Excess Flow Soft Nose POL's on both ends x Full Flow Tee) - Most commonly used to hook multiple bulk tanks to most applications.



"One Stop" Universal Gas Appliance Hook-up Kit

Stock # - F271239

UPC - 08930171239-3

Kit includes:

- 22" stainless steel flex gas connector
- Brass shut-off valve (1/2" female pipe thread x 1/2" male flare)
- 1/2" male flare x 1/2" male pipe
- 1/2" male flare x 3/8" male pipe
- 1/2" male flare x 3/8" female pipe
- Special gas seal tape for connections



Remote LP installation kit

Stock # - F273684

UPC - 08930100255-5

For connecting Vent-Free heaters to a remote LP tank
 Kit includes:

1. Two stage regulator with POL connection (F273863)
2. Handwheel (F273783)
3. 12' hose assembly (71163-144)
4. 3/8" MP x 3/8" MF adapter (F276262)
5. 3/8" female X 3/8" 90° male street elbow





Gas Mate™ Quick Connector Kits

Propane/Natural Gas Connector Kit with Safety Shut-Off Valve & Full Flow Male Plug

Stock # - F276182
UPC - 089301996878

(1/4" Male Pipe Thread Plug x 1/4" Female Pipe Thread Socket)
Certified: 1/2 PSI Low pressure



Propane/Natural Gas 1/4" Quick Connector & Excess Flow Male Plug

Stock # - F276186
UPC - 089301761865

(1/4" Male Pipe Thread Excess Flow Plug x 1/4" Female Pipe Thread Socket)
Certified: 250 PSI rated



Propane/Natural Gas 3/8" Quick Connector & Full Flow Male Plug

Stock # - F276187
UPC - 089301761872

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread)
Certified; 1/2 PSI Low pressure



Propane/Natural Gas 1/4" Quick Connector & Full Flow Male Plug

Stock # - F276190
UPC - 089301761902

(1/4" Male Pipe Thread Full Flow Plug x 1/4" Female Pipe Thread Socket)
Certified: 250 PSI rated



Propane/Natural Gas Full Flow Male Plug

Stock # - F276281
UPC - 089301762817

(1/4" Male Pipe Thread x Full Flow Male Plug) - For high pressure appliances. Can be used with F276334 or can replace excess flow plug-in F276186 & F276330



Propane/Natural Gas Excess Flow Male Plug

Stock # - F276328
UPC - 089301763289

(1/4" Male Pipe Thread x Male Plug Quick Connect Fitting) - For appliances 80,000 BTU's or less. For use with F276334.



Propane Cylinder Fill Plug

Stock # - F276329
UPC - 089301763296

(7/8" Female POL x Male Plug) - Use with Gas Mate II Quick Connect Coupling Kit. (F276330).



Propane Gas Quick Connect Adapter Kit

Stock # - F276330
UPC - 089301763302

(1/4" Male Pipe Thread x Male Plug) (Quick Connect x Soft Nose Excess Flow POL) Provides plug in/plug out use of appliances.
Certified; 250 PSI Rated



Propane Gas Grill "Quick Connect" Adapter

Stock # - F276334
UPC - 089301763340

(Quick Connect x Soft Nose Excess Flow POL) Use with Ducane, Weber & PGS gas grills or other grill users of a Gas Mate II system.
Certified; 250 PSI Rated



Low Pressure 1/4 inch RV Quick Connect Adapter Fitting

Stock # - F271719
UPC - 089301995437

Only for use with Blackstone 17" and 22" tabletop griddles.

This adapter is not sourced or sponsored by Blackstone. The manufacturer's name has been used for reference only. Blackstone is not affiliated with Mr. Heater®.



NEW



TankFoot® Propane Tank Stabilizer (6)

Stock # - F273169-6
UPC - 089301731691

TankFoot® Propane Tank Stabilizer (30)

Stock # - F273169-30
UPC - 089301731691

Fits 20 lb., 30 lb. and 40 lb. tanks; reduces risk of tipping propane tank while on jobsite and transporting in your R.V., pick-up, car, etc.



Universal Fuel Filter

Stock # - F273699
UPC - 089301736993

- Patented design

Recommended for use with all Portable Buddy and Big Buddy Heaters when attaching to a 20 lb. propane tank. Most commonly used with F273701(5') and F273702(12') propane hose assemblies



Handwheel

Stock # - F273783
UPC - 089301737839

(2 handwheels per pack) Used with Mr. Heater propane products and POL nuts that use a 7/8" open end wrench



O-Rings

Stock # - F273786
UPC - 089301737860

(20 per pack) Used to replace o-rings on Mr. Heater Soft Nose POL's



TankFoot® 1 lb. Propane Cylinder Stabilizer

Stock # - F275228
UPC - 089301752283

Fits portable disposable propane cylinders; reduces risk of tipping cylinder while in use.



6v/800mA Power Adapter

Stock # - F276127
UPC - 089301761278

Use with Big Buddy and Tough Buddy heaters. Uses standard 110 outlet. Also powers products requiring 6VDC and up to 800mA current.





Tank Top Replacement Parts

Safety Shut-off Valve with Orifice

Stock # - F273116
UPC - 089301731165

Replacement for MH12, MH12T Mr. Heater
Tank Top Models
(up to and including 2010)



12" Thermocouple Lead

Stock # - F273117
UPC - 089301731172

Replacement for most Mr. Heater Tank Top Models
(Replacement for Mr. Heater
models up to
and including 2010)



Thermocouple Assembly with Tip-over Switch Wires

Stock # - F237349
UPC - 089301373495

MR. HEATER: MH15T, MH15TS
(2011-current)
MH30T, MH30TS (2012-current)
SUNRITE:SRC15T, SRC30T (all)
SR15T, SR30T (2011-current)



Replaces part #17349

Thermocouple Assembly Without Tip-Switch

Stock # - F237425
UPC - 089301374256

MR. HEATER: MH15, MH15C
MH30T, MH30TS (2011 series)
MH45T (2011-2012)
SUNRITE:SRC15T, SRC30T
(2009-2010 ONLY)



Replaces part #17425

Screen Assembly

Stock # - F273164
UPC - 089301731646

Replacement for most Mr. Heater Tank Top Models
(Includes replacement hardware)



Regulator for Mr. Heater and Sun Rite Tank Top Heaters

Stock # - F237314
UPC - 089301373143

MR. HEATER: MH15T, MH15TS, MH30T,
MH30TS, MH45T
SUNRITE:SRC15T, SRC30T
Replaces part #17314




Safety Shut-off for Mr. Heater and SunRite Tank Top Heaters

Stock # - F237416
UPC - 089301374164

MR. HEATER: MH15T, MH15TS,
MH30T, MH30TS, MH45T
SUNRITE:SRC15T, SRC30T
Replaces part #17416



Go to our website
www.mrheater.com





Electrode Kit
(Kerosene 2006 models through current)

Stock # - F221857
 UPC - 089301218574

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT, MH210KT
 MR. HEATER: MH50KR, MH75KTR, MH125KTR, MH175KT, MH210KT
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT, HS210KT

Replaces part #21819 and 22144



Replacement Filter Kit
(2009 models through current)

Stock # - F221887
 UPC - 089301218871

MR. HEATER: MH50KTR, MH75KTR, MH125KTR, MH175KTR, MH210KTR
 CONTRACTOR SERIES: TS75KR, TS125KTR, TS175KTR, TS210KTR
 CONTRACTOR PLUS: PA50KR, PA75KTR, PA175KTR, PA210KTR
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT



Rotor Kit
(2003 models through current)

Stock # - F226831
 UPC - 089301268319

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT
 ALL PRO: SPC-, SPC-K50, SPC-K100, SPC-K125, SPC-K150, SPC-K175
 UNIVERSAL: K50-FA, K75, K100-FAT, K125, K150-FAT, K175



Flame Sensor Kit
(2003 models through current)

Stock # - F226865
 UPC - 089301268654

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150
 UNIVERSAL: K50-FA, K100-FA, K150-FA

Replaces part #s:
 26903
 26924
 26925
 F226875



Pump Adjustment Kit
(2003 models through current)

Stock # - F266842
 UPC - 089301668423

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT(2003-2008)
 MR. HEATER: MH50KR, MH75KTR, MH125KTR, MH175KTR, MH210KTR
 (2009-present)
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150
 UNIVERSAL: K50-FA, K100-FA, K150-FA





Forced Air Replacement Parts

Nozzle Kit (All models through current)

Stock # - F227416
UPC - 089301274167

MR. HEATER: MH50KT
HEATSTAR: HS50K



Replaces part #27416/28710

Nozzle Kit (All models through current)

Stock # - F221878
UPC - 089301218789

MR. HEATER: MH75KT/MH75KTR
HEATSTAR: HS75KT



Replaces part
#28741/28711

Nozzle Kit (All models through current)

Stock # - F221879
UPC - 089301218796

MR. HEATER: MH125KT/MH125KTR
HEATSTAR: HS125KT



Replaces part #28742/28712

Nozzle Kit (All models through current)

Stock # - F221889
UPC - 089301218895

MR. HEATER: MH175KT/MH175KTR
HEATSTAR: HS175KT



Replaces part #28743/28713

Nozzle Kit (All models through current)

Stock # - F221891
UPC - 089301218918

MR. HEATER: MH210KT/MH210KTR
HEATSTAR: HS210KT



Replaces part #22109/28714

High Limit Switch

Stock # - F228796
UPC - 089301287969

MR. HEATER: MH35FA, MH170FAVT, MH400FAVT
HEATSTAR: HS35FA, HS170FAVT, MH400FAVT



Replaces part #26168

High Limit Switch

Stock # - F228797
UPC - 089301287976

MR. HEATER: MH55FAV, MH85FAV
HEATSTAR: HS55FAV, HS85FAV



Replaces part #21751

High Limit Switch

Stock # - F228798
UPC - 089301287983


MR. HEATER: MH125FAV
HEATSTAR: HS125FAV



Replaces part #22015



Vent-Free Series Pilot Assemblies



Vent-Free Pilot Assemblies (NG) (2015 - prior)

Stock # - F270398

UPC - 089301703988

All Mr. Heater / Heatstar 20k & 30k NG Vent Free Heater
Replaces part #70339



Vent-Free Pilot Assemblies (LP) (2015 - prior)

Stock # - F270399

UPC - 089301703995

All Mr. Heater / Heatstar 20k & 30k NG Vent Free Heater
Replaces part #70358



Buddy Replacement Parts




Buddy Pilot Assemblies




Pilot Assembly for Portable Buddy®

Stock # - F273401
UPC - 089301734012
MR. HEATER: MH9B (2001-2008)
MH9BX (2009-CURRENT)
Replaces part #73404



Pilot Assembly for Big Buddy®

Stock # - F278527
UPC - 089301785274
MR. HEATER: MH18B
Replaces part #78422



Part Number	Description	Page Number	Part Number	Description	Page Number
00285A	Overhead Radiant Garage Heater Fuel Conversion Kit - NG to LP	39	F215120	MH4B "Little Buddy®" (Massachusetts/Canada Only)*	8
00286A	Overhead Radiant Garage Heater Fuel Conversion Kit - LP to NG	39	F221857	Electrode Kit (Kerosene 2006 models through current) see listing for model numbers	61
F102848	Vent Kit - Vertical- 4"	42	F221878	Nozzle Kit (All models through current) see listing for model numbers	62
F102849	Vent Kit - Vertical- 6"	42	F221879	Nozzle Kit (All models through current) see listing for model numbers	62
F102859	Decorative Grid Kit	40	F221887	Replacement Filter Kit (2009 models through current) see listing for model numbers	61
F102860	Vent Kit - Horizontal - 4"	42	F221889	Nozzle Kit (All models through current) see listing for model numbers	62
F102861	Vent Kit - Horizontal - 6"	42	F221891	Nozzle Kit (All models through current) see listing for model numbers	62
F200047	Dual Tank Hook Up Kit	15, 49	F226831	Rotor Kit (2003 models through current) see listing for model numbers	61
F200048	1-lb Refillable Propane Tank	15-17	F226865	Flame Sensor Kit (2003 models through current) see listing for model numbers	61
F200049	1-lb Propane Tank Refill Kit	15-17	F227416	Nozzle Kit (All models through current) see listing for model numbers	62
F200293	Fuel Conversion Kit - NG to LP for MH25NG	38	F227500	MH18CH - (Propane) - 6,000, 12,000 and 18,000 BTU/hr	22
F200294	Fuel Conversion Kit - LP to NG for MH25LP	38	F228796	High Limit Switch, see listing for model numbers	62
F202860	MH45GSP - 45,000 BTU/hr (Natural Gas) with LP conversion kit	40	F228797	High Limit Switch see listing for model numbers	62
F209150	Catalytic Heater - 3,000 BTU	43	F228798	High Limit Switch, see listing for model numbers	62
F209250	Catalytic Heater - 6,000 BTU	43	F232000	MH9BX Portable "Buddy®" Heater (Indoor Safe) - 4,000 and 9,000 BTU/hr	9
F209350	Catalytic Heater - 8,000 BTU	43	F232035	MH12HB Hunting Buddy® (Indoor Safe)-6,000 and 12,000 BTU/hr	10
F210359	Analog Thermostat	42	F232045	MH12HB Hunting Buddy® - (Massachusetts/Canada)*	10
F210140	MH140KTR -Forced Air Kerosene - 140,000 BTU/hr	31	F232050	MH9BX Portable "Buddy®" Heater (Massachusetts/Canada Only)*	9
F210180	MH80KTR -Forced Air Kerosene - 80,000 BTU/hr	31	F232078	9BX Portable Buddy Carry Bag	15
F210185	MH185KTR -Forced Air Kerosene - 185,000 BTU/hr	31	F235001	Seat Cushion with Warmer Pocket	45
F210359	Thermostat for unit/utility heaters	42	F235011	Hand Warmers - 40 individual pair per cut case	44
F215100	MH4B "Little Buddy®" Heater (Indoor Safe) - 3,800 BTU/hr	8			

Part Number	Description	Page Number
F235012	Hand Warmers 12 - 10 pk cut case	44
F235041	Seat Warmer - 12 individual warmers per cut case	45
F235051	Toe Warmers - 30 individual pair per cut case	44
F235052	Toe Warmers 15 - 8 pk cut case	44
F235076	XL Warmers - 40 individual pair per cut case	45
F235077	XL Warmers 12 - 10 pk cut case	45
F235091	Full Foot Warmers - 30 individual pair per cut case	44
F235100	Tent Fan with L.E.D. Light	46
F235825	Single Burner Angle Iron Stove	46
F235830	Double Burner Angle Iron Stove	46
F235835	Triple Burner Angle Iron Stove	46
F236120	MH165FAET 1.5 Kw Portable Forced Air Electric Heater	36
F236125	MH360FAET 3.6 Kw Portable Forced Air Electric Heater	36
F236130	MH530FAET 5.3 Kw Forced Air Electric Garage Heater	37
F236200	MHE150FAT Portable Electric Heater	34
F236300	MHBE150FAT Portable Electric Buddy Heater	35
F236330	MHBEW150FATRW Wall Mount Electric Buddy Heater	35
F237314	Regulator for Mr. Heater and Sun Rite Tank Top Heaters	60
F237349	Thermocouple Assembly with Tip-over Switch Wires	60
F237416	Safety Shut-off for Mr. Heater and SunRite Tank Top Heaters	60
F237425	Thermocouple Assembly	60
F240200	Restaurant/Patio Radiant Glass Heater - 37,000 BTU/hr	40

Part Number	Description	Page Number
F240205	MH30LPPH-Low Profile Patio Heater	20-21
F242010	MH4GC Golf Cart Heater (Propane) - 4,000 BTU/hr	18
F242100	MH15T Heater - 10,000-15,000 BTU/hr.	19
F242105	MH15TS with Piezo spark ignition	19
F242200	MH15 Heater - 10,000-15,000 BTU/hr	19
F242300	MH15C Heater/Cooker - 10,000-15,000 BTU/hr	19
F242540	MH540T Heater - 45,000 BTU/hr	19
F242650	MH30T Heater - 10,000-30,000 BTU/hr	19
F242655	MH30T Heater - 10,000-30,000 BTU/hr with electronic spark ignition	19
F242915	MH45T Heater - 10,000-45,000 BTU/hr	19
F260550	MHU50 - 50,000 Btu/hr. includes LP conversion kit	41
F260560	MHU80 - 80,000 Btu/hr. includes LP conversion kit	41
F260590	MHU125 - 125,000 Btu/hr. includes LP conversion kit	41
F261210	MH50KR - In-line Thermostat	31
F263063	MHU200NGPALP - 200,000 BTU/hr	41
F263064	MHU250NGPALP - 250,000 BTU/hr	41
F263065	MHU300NGPALP - 300,000 BTU.hr	41
F263066	MHU400NGPALP - 400,000 BTU/hr	41
F266842	Pump Adjustment Kit (2003 models through current) see listing for model numbers	61
F270255	MH50KR - Forced Air Kerosene - 50,000 BTU/hr	31
F270265	MH70KTFR - 70,000 BTU/hr Radiant Kerosene	30

Part Number	Description	Page Number
F270269	MH125KTFR - 125,000 BTU/hr Radiant Kerosene	30
F270385	MH210KTR - Forced Air Kerosene - 210,000 BTU/hr	31
F270398	Vent-Free Pilot Assemblies (NG) (2015 - prior)	63
F270399	Vent-Free Pilot Assemblies (LP) (2015 - prior)	63
F270470	MH25CVX - Convection Heater - 25,000 BTU/hr	28
F270490	MH80CVX -Convection Heater - 30,000 - 80,000 BTU/hr	28
F270500	MH200CVX -Convection Heater - 75,000 - 200,000 BTU/hr	28
F270700	MH35LP -Portable Radiant - 35,000 BTU/hr	29
F270765	MH48PH -Patio Heater - 48,000 BTU/hr	23
F270770	MH11TTPH - Table Top Patio Heater - 11,000 BTU/hr	23
F270800	MH125LP - Portable Radiant - 125,000 BTU/hr	29
F271117	12' Quick-Connect Propane Hose Assembly	52
F271138-20	20" Propane Hose Assembly	51
F271139-20	20" Propane Hose Assembly	51
F271144-(XX)	60,144 Propane Hose Assemblies	51
F271149-72	72" Propane Hose Assemblies	51
F271158-(XX)	12, 15, 18, Propane Hose Assemblies	51
F271159-(XX)	12, 18 Propane Hose Assemblies	51
F271161	22" Propane Hose & Regulator Assembly with Appliance End Fitting/ Acme Nut	50
F271161-144	144" Propane Hose & Regulator Assembly with Appliance End Fitting/ Acme Nut	43, 50
F271163-(XX)	30,60 - Propane Hose Assembly	50

Part Number	Description	Page Number
F271239	Universal Hook Up Kit	27, 39, 57
F271350	MH38QFA - Forced Air Propane - 38,000 BTU/hr	33
F271370	MH60QFAV- Forced Air Propane - 30,000-60,000 BTU/hr	33
F271380	MH85QFAV - Forced Air Propane- 50,000-85,000 BTU/hr	33
F271390	MH125QFAV - Forced Air Propane - 75,000 - 125,000 BTU/hr	33
F271400	MH170QFAVT -Forced Air Propane - 125,000-170,000 BTU/hr	33
F271470	15' Propane Appliance Extension Hose Assembly	50
F271474	15' Propane Appliance Extension Hose Assembly	50
F271715	Propane "Y" Male Adapter with Handwheel	56
F271716	Propane Double Quick Connect	56
F271718	Propane Tank Quick Connect	56
F271719	Low Pressure 1/4" RV Quick-Connect Fitting	58
F271733	Black Pipe Tee	55
F271735	Propane "Y" Female Adapter with Handwheel	56
F271736	Propane Black Pipe Tee w/ Adapter	55
F271744	30"/15" Propane Distribution Post/Tree	55
F271802	12' Big/Tough Buddy RV Hose	52
F271803	12' Big/Tough Buddy Hose with Regulator	15, 52
F271807	12' Quick Connect Propane Hose Assembly with shut off valve and full flow male plug	52
F272100	MH25LP - 22,000 BTU/hr High Intensity Radiant (Propane)	38
F272200	MH25NG - 25,000 BTU/hr High Intensity Radiant (Natural Gas)	38
F272425	MH400FAVT -Forced Air Propane - 250,000-400,000 BTU/hr	33

Part Number	Description	Page Number
F272601	MH400PT Handheld Torch - 400,000 BTU/hr	47
F272602	MH500LPT Handheld Torch - 500,000 BTU/hr	47
F272700	MH40LP - 40,000 Btu/hr. High Intensity Radiant (Propane)	39
F272800	MH40NG - 40,000 BTU/hr High Intensity Radiant (Natural Gas)	39
F273071	5' Propane Hose Assembly for angle iron stoves	46, 50
F273072	12' Propane Hose Assembly for angle iron stoves	46, 50
F273076	5' Propane Hose/Regulator Assembly	50
F273077	12' Propane Hose/Regulator Assembly	50
F273116	Safety Shut-off Valve with Orifice	60
F273117	12" Thermocouple Lead	60
F273164	Screen Assembly	60
F273169-6	TankFoot® Propane Tank Stabilizer (6)	59
F273169-30	TankFoot® Propane Tank Stabilizer (30)	59
F273401	Pilot Assembly for Portable Buddy®	64
F273655	Excess Flow Soft Nose POL x 1/4" Male Pipe Thread with Handwheel	54
F273684	Remote Propane Installation Kit	26, 57
F273699	Universal Fuel Filter	15, 59
F273701	5' Propane Hose Assembly	15, 51
F273702	12' Propane Hose Assembly	15, 51
F273703-60	5' Propane Hose Assembly	15, 51
F273703-144	12' Propane Hose Assembly	15, 51
F273704	10' Buddy Series Hose Assembly	15, 51

Part Number	Description	Page Number
F273707	5' Propane Hose Assembly	50
F273707-108	9' Propane Hose Assembly	50
F273708	10' RV Quick-Connect Hose Assembly	52
F273710	5' Propane Hose Assembly	51
F273711	12' Propane Hose Assembly	51
F273716	22" Propane Replacement Barbecue Hose	50
F273717	5' Propane Appliance Extension Hose Assembly	50
F273718	8' Universal Propane Hose & Glow in the Dark Gauge Assembly	15, 52
F273719	Propane High Pressure Regulator with POL	53
F273720	12' Natural Gas Patio Hose Assembly	52
F273729	1/4" Inverted Female Flare x 1/4" Male Pipe Thread	54
F273733	Propane Stay A While Kit	57
F273734	Propane Stay A While Deluxe Kit	57
F273737	Propane 2 Tank Hook Up Kit	33, 57
F273751	Propane Adapter Tee	56
F273752	Propane Stay A While Tee	56
F273753	Propane 90° Stay Flow Adapter	56
F273754	1/4" Male Pipe Thread x 1"-20 Female Disposable Cylinder Thread	54
F273755	1/4" Male Pipe Thread x 1"-20 Male Disposable Cylinder Thread	54
F273758	Propane Bulk Cylinder Adapter with Handwheel	55
F273759	90° Propane Low Pressure Regulator with POL	53
F273760	Propane 90° Elbow	56

Part Number	Description	Page Number
F273761	90° Propane Low Pressure Regulator with Acme Nut	53
F273762	Full Flow Soft Nose POL. w/ Handwheel x 1/4" Male Pipe Thread	54
F273763	Propane Vertical Two Stage Regulator	53
F273767	Propane Low Pressure Regulator	53
F273768	Propane Grill Regulator with Acme Nut	53
F273769	Propane Portable Table Top Regulator	53
F273776	Propane Auto-Changeover Two Stage Regulator	53
F273783	Handwheel	59
F273786	O-Rings	59
F273846	Propane Auto-Changeover High Capacity Two Stage Regulator	53
F273863	Propane Horizontal Two Stage Regulator with POL	53
F273868	Propane Horizontal Two Stage Regulator	53
F274800	MH18B Big Buddy® Heater Pro Series 4,000/9,000/18,000 BTU	6
F274805	MH18B Big Buddy® Heater 4,000/9,000/18,000 BTU	6
F274806	MH18B Big Buddy® Heater (CAN/MASS) 4,000/9,000/18,000 BTU	6
F274865	MH18B Big Buddy® Heater Pro Series (CAN/MASS) 4,000/9,000/18,000 BTU	6
F274889	MH18B Portable Buddy Carry Bag	15
F275228	TankFoot® 1 lb. Propane Cylinder Stabilizer	59
F276124	5' Propane Hose Assembly	50
F276127	6v/800mA Power Adapter	15, 59
F276129	9/16" Left Hand Male Thread x Restricted Flow Soft Nose POL	54

Part Number	Description	Page Number
F276130	9/16" Left Hand Male Thread x 1"-20 Disposable Cylinder Thread with Shut-off	54
F276133	Propane Bulk Cylinder Adapter with Appliance End Fitting/Acme Nut	55
F276136	Propane Low Pressure Regulator with POL	53
F276139	1/4" Male Pipe Thread x Restricted Flow Soft Nose POL with Handwheel	54
F276140	1" - 20 Male Disposable Cylinder Thread x 1/4" Female Pipe Thread	54
F276148	5' Propane Hose Assembly	51
F276152	1/4" Male Pipe Thread x 9/16" Left Hand Male Thread	56
F276153	3/8" Male Pipe Thread x 9/16" Left Hand Male Thread	56
F276154	9/16" Left Hand Male Pipe Thread x 9/16" Left Hand Male Thread	56
F276171	Propane "Steak Saver" Adapter	54
F276172	Propane Tank Refill Adapter	54
F276182	Propane/Natural Gas Connector Kit with Shut-off Valve & Full Flow Male Plug	58
F276186	Propane/Natural Gas 1/4" Quick Connector & Excess Flow Male Plug	58
F276187	Propane/Natural Gas 3/8" Quick Connector & Full Flow Male Plug	58
F276190	Propane/Natural Gas Connector & Full Flow Male Plug	58
F276262	3/8" Male Pipe Thread x 3/8" Male Flare	56
F276281	Propane/Natural Gas Full Flow Male Plug	58
F276328	Propane/Natural Gas Excess Flow Male Plug	58
F276329	Propane Cylinder Fill Plug	58
F276330	Propane Gas Grill "Quick-Connect" Adapter Kit	58
F276334	Propane Gas Grill "Quick Connect" Adapter	58

Part Number	Description	Page Number
F276338	Propane Converter	55
F276342	Propane Gas Gauge	55
F276400	Propane Brass Caps	55
F276495	Propane Grill Acme Nut (Black)	55
F276497	Propane RV Acme Nut (Green)	55
F276499	High Flow Propane Acme Nut (Red)	55
F278527	Pilot Assembly for Big Buddy®	64
F299201	Integrated Blower Fan	26
F299310	MHVDF10BF - (Dual Fuel) - 10,000 BTU/hr	25
F299320	MHVDF20BFT - (Dual Fuel) - 20,000 BTU/hr	25
F299330	MHVDF30BFT - (Dual Fuel) - 30,000 BTU/hr	25
F299410	MHVDF10RTT - (Dual Fuel) - 10,000 BTU/hr	25
F299420	MHVDF20RTT - (Dual Fuel) - 20,000 BTU/hr	25
F299430	MHVDF30RTT - (Dual Fuel) - 30,000 BTU/hr	25
F299710	MHVFBF10LP - (Propane) - 10,000 BTU/hr	27
F299711	MHVFBF10NG - (Natural Gas) - 10,000 BTU/hr	27
F299720	MHVFBF20LPT - (Propane) - 20,000 BTU/hr	27
F299721	MHVFBF20NGT - (Natural Gas) - 20,000 BTU/hr	27
F299730	MHVFBF30LPT - (Propane) - 30,000 BTU/hr	27
F299731	MHVFBF30NGT - (Natural Gas) - 30,000 BTU/hr	27

Part Number	Description	Page Number
F299740	MHVFGH30LPT - (Propane Garage Heater) - 30,000 BTU/hr	27
F299741	MHVFGH30NGT - (Natural Gas Garage Heater) - 30,000 BTU/hr	27
F299810	MHVFRD10LP - (Propane) - 10,000 BTU/hr	26
F299811	MHVFRD10NG - (Natural Gas) - 10,000 BTU/hr	26
F299813	MHVFIH10LPT - (W/thermostat) - 10,000 BTU/hr (Hose & regulator included)	26
F299820	MHVFRD20LPT - (Propane) - 18,000 Btu/hr.	26
F299821	MHVFRD20NGT - (Natural Gas) - 20,000 BTU/hr	26
F299830	MHVFRD30LPT - (Propane) - 30,000 BTU/hr	26
F299831	MHVFRD30NGT - (Natural Gas) - 30,000 BTU/hr	26
F600050	MHBBFLEX - Heavy-Duty Multipurpose Gear Bag	13
F600100	MH11BFLEX - Portable Radiant Heater - 11,000 BTU/hr	11
F600200	MH11BFLEX - Portable Radiant Heater - 11,000 BTU/hr (Canada/Massachusetts)	11
F600500	MH8CFLEX - Portable Radiant Cooker - 8,000 BTU/hr	12



Sponsorships



THE BUSBY HIVE

The Busby Hive is a sustainable off the grid homesteading micro-farm that provides farm fresh goods and inspirational online content to motivate others to lead adventurous lifestyles by their own design. Founders, Mollie & Sean Busby are TV personalities, world-travelers, entrepreneurs, and sustainable living experts.

THEBUSBYHIVE.COM



ICE TEAM

No one has done more to advance the sport of ice fishing than Ice Team. Since 1997 their Pros have come up with every significant ice fishing method and refinement in history, starting with Dave Genz and the Clam Fish Trap and the Vexilar flasher. Today their Pros and staff continue to blaze new trails.

ICETEAM.COM



TIGHTLINE OUTDOORS

Tightline Outdoors is the premier fishing guide service of Colorado and "The Authority in Western Outdoors!" Whether you are looking for an action-packed day of catching fish in Colorado or searching for that once-in-a-lifetime trophy fish in Colorado we are the right match.

TIGHTLINEOUTDOORS.COM



NEW

Electric
Buddy



PAGE 35



**1-LB REFILLABLE
PROPANE TANK**

NEW

PAGES 16-17



**LOW PROFILE
PATIO HEATER**

NEW

PAGES 20-21

VISIT US ONLINE: MRHEATER.COM — FOLLOW OUR SOCIAL MEDIA:    

Enerco Group Inc. 4560 West 160th Street - Cleveland OH 44135 - 800.251.0001

©Enerco Group Inc - L357 - 2023